THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general information.

Chief Secretary's Office, Adelaide, June 18th, 1897.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general J. V. O'LOGHLIN, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of April, 1892-97.

Years	1892.	1893.	1894.	1895.	1896.	Average of Five					1	897.						Total for
*Population, April 1st	322,670	334,381	342,687	347,120	351,081	Years.					351	,750						1897.
Births	781	872	881	888	791	845					8	04						3,143
Rate per cent	•242	•261	.257	•256	•225	_					-2	29						
Deaths							All Ages.	Under 1 year.	l and under 5.	6 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	+Coroners' Inquiries.	‡Uncerti- fied causes of Death.	
All causes	348	328	340	305	291	322	318	100	21	25	41	47	65	18	1	28	10	1,327
Rate per cent	*108	·098	.099	.088	.083	_	-090	_	_	_	_	_	_	_	-	_		
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic 12. Constitutional 13. Developmental 14. Local 14. Violence 14. Violence and not specified	70 3 3 51 37 135 11	55 5 3 54 30 130	65 	36 	48 1 1 51 25 126 16		$ \begin{array}{c c} 52 \\ \hline 2 \\ 50 \\ 37 \\ 140 \\ 10 \end{array} $	$ \begin{array}{c c} 26 \\ \hline 2 \\ 4 \\ 17 \\ 28 \\ \hline \end{array} $	5 - 2 - 13	7 - 4 - 12 2	10 - 15 - 16	$ \begin{array}{c} 2 \\ - \\ 12 \\ - \\ 29 \\ 4 \end{array} $	1 - 11 11 38 2	1 - 2 9 4 2			Control of the contro	
causes	38	32	23	36	23	_	27	23	1		_	_	2		1			

*The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of he number of the aborigines. + Including inquests.

* Not certified by qualified practitioners.

Causes of Deaths registered in the Month of April, 1897.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.						Diseases of locomotive sys-	-	
Measles	_		V.			tem		3
Scarlet fever	_	_	Premature birth	14		Diseases of integumentary		
Relapsing fever	_		Cyanosis	_		system	-	-
Influenza	_	3	Congenital defects,,	3		VII.		
Whooping-cough	_		Old age	-	20	(Accident.)		
Diphtheria	_	3	VI.			Fracture and contusion	-	5
Simple and ill-defined fever	-		Apoplexy	-	7	Gunshot wound		
Enteric fever		15	Epilepsy		1	Cut, stab	-	_
Simple cholera	1	-	Convulsions	6	2	Burn and scald	-	1
Diarrhœa, dysentery	25	3	Other diseases of brain and			Poison	-	_
Remittent fever	-	_	nervous system	4	11	Drowning	-	2
Venereal affections	-	1	Diseases of organs of special			Suffocation	_	_
Erysipelas	_	_	sense	1	_	Otherwise	-	
Pyæmia and septicæmia		1	Diseases of circulatory sys-		0.7	(Homicide.)		
Puerperal fever		-	tem	_	27	Murder and manslaughter	-	_
Other zymotic diseases	_	I	Croup	-	2 8	(Suicide.)		
II.			Bronchitis	2 2	13	Gunshot wound		_
Thrush	-	_	Pneumonia	2	13	Cut, stab	_	1
Worms and other parasitical			Pleurisy		1	Poison	_	1
diseases			Other diseases of respiratory		6	Drowning	_	1
III.	0		system	2	2	Hanging Otherwise		1
Privation-want of breast milk	2		Dentition	4	1	(Execution.)		
Alcoholism	_	_	Quinsy, sore throat	9	3			
IV.			Enteritis	9	3	HangingVIII.		
Rheumatic fever and rheuma-		1	Diseases of liver	1	3	Dropsy		1
tism of heart		2	Other diseases of digestive	1	0	Debility, atrophy, inanition	23	1
Rheumatism	-		system	1	6	Mortification	_	
Gout	-	12	Diseases of lymphatic sys-	1		Tumor		
Cancer, malignant disease	3		tem and of ductless glands	_		Abscess		
Tabes mesenterica	1	3	Diseases of urinary system		8	Hæmorrhage		
Tubercular meningitis		24	Diseases of generative sys-			Sudden, cause unascertained		_
Phthisis	_	2	tem	_	3	Other ill-defined and not		
Scrofula, tuberculosis Other constitutional diseases	_	2	Accidents of childbirth		2	specified causes ,		2

Return of Births and Deaths registered in the City of Adelaide in the Month of April, 1892-97.

Years	1892.	1893.	1894.	1895.	1896.	Average of Five	1897.							Total for				
Population, Jan. 1st	38,240	39,073	39,749	40,167	40,406	Years.					40	,384						1897
Births	91	97	91	96	75	90					1	00						353
Rate per cent	•238	•248	•229	•239	•186		•248											
							All Ages.	Under 1 year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied causes of death.	
Deaths— All causes	72	78	65	61	49	65	68	23	3	5	9	12	13	3		4	_	275
Rate per cent	·188	-200	·164	.152	•121	- 1	•168	_	_			_	_	_	_	_	_	
Diseases— I. Specific Febrile or Zymotic II. Parasitic IV. Constitutional V. Developmental VI. Local VII. Violence VIII. Ill-defined and not specified causes	14 1 12 7 29 2	$ \begin{array}{c} 11 \\ 2 \\ \hline 21 \\ 4 \\ 30 \\ 6 \end{array} $	$ \begin{array}{r} 13 \\ \hline 1 \\ 14 \\ 4 \\ 25 \\ 5 \end{array} $	$ \frac{8}{1} $ 15 5 22 4	11 1 12 2 13 2		$\frac{6}{1}$ 13 9 29 3	$-\frac{4}{1}$ $-\frac{1}{4}$ $-\frac{7}{7}$		2 - - 2 1				3				

^{*} Including inquests.

Causes of Deaths registered in the Month of April, 1897.

	,	-	tuses of Deaths registered in the		,,		1)
	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Yea and Above.
I.			Scrofula, tuberculosis Other constitutional diseases	_	1	Accidents of childbirth Diseases of locomotive system Diseases of integumentary	_	
Scarlet fever	_	_				system		_
nfluenza	=	_	V. Premature birth	4	_	VII. (Accident.)		
Diphtheria	-	-	Cyanosis	_	_	Fracture and contusion	-	1
Simple and ill-defined fever	_	_	Congenital defects	_	5	Gunshot wound	-	
Enteric fever	_	2	Old age	-	Э	Cut, stab Burn and scald		_
Diarrhea, dysentery	4	_	VI.			Poison		_
Remittent fever	_	_	Apoplexy	-	2	Drowning	-	1
Venereal affections	-	_	Epilepsy	_	_	Suffocation		-
rysipelas			Convulsions	2	_	Otherwise	-	
yæmia and septicæmia	_	_	Other diseases of brain and	1	1	(Homicide.)		
Puerperal fever	-		nervous system	1	1	Murder and manslaughter (Suicide.)	-	
ther zymotic diseases	-		Diseases of organs of special	1	_	Gunshot wound	_	
II.			sense	_	5	Cut, stab		_
			Croup		1	Poison		1
Yorms and other parasitical	_		Bronchitis		1	Drowning	_	_
diseases	_		Pneumonia		3	Hanging		_
uiscases			Pleurisy	_	_	Otherwise	_	_
III.			Other diseases of respiratory			(Execution)		
rivation—want of breast milk	1		system	_	1	Hanging	-	_
lcoholism			Dentition	_	_			
			Quinsy, sore throat	-	_	-VIII.		
IV.			Enteritis	1	_	Dropsy		
heumatic fever and rheuma-			Peritonitis		_	Debility, atrophy, inanition	7	-
tism of heart			Diseases of liver	1	1	Mortification	-	-
heumatism		1	Other diseases of digestive		0	Tumor		-
out	-		system	1	3	Abscess	_	_
ancer, malignant disease	-	3	Diseases of lymphatic sys-			Hæmorrhage	_	-
abes mesenterica		_	tem and of ductless glands	_	2	Sudden, cause unascertained		_
ubercular meningitis	-	1 7	Diseases of urinary system Diseases of generative system		1	Other ill-defined and not specified causes		
hthisis								

⁺ Not certified by qualified practitioners.

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of April, 1897.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
		-					
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	40,384	6,289	7,028	8,551	9,887	3,679	4,950
Persons to an acre	11.1	11.0	10.7	15.5	13.8	7.7	7.6
Births	100 53 47	13 6 7	16 9 7	30 17 13	27 11 16	2 1 1	12 9 3
Deaths	59 30 29	11 6 5	13 7 6	17 9 8	5 3 2	5 2 3	8 3 5
CLASSES. I. Specific Febrile or Zymotic Diseases II. Parasitic Diseases III. Dietic Diseases IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence VIII. Ill-defined and not specified causes	$-\frac{6}{1}$ 12 8 23 2 7	1 4 1 4 1	1 2 2 5 1 2	3 - 2 3 6 - 3	1 -2 -2 -2		1 1 2 3 1
Percentage of Deaths to population of each Ward	•146	.175	`185	-200	.051	.136	·162

Causes of Deaths registered in the Month of April, 1897.

Under One Year and Above. I. Phthisis		One Yea and Above.
Measles — — Scrofula, tuberculosis — 1 Diseases of locomotive system Other constitutional diseases. — — Unfluenza — — V. — Premature birth — VII. (Accident.) Fracture and contusion		1 -
Measles — — Scrofula, tuberculosis — 1 Diseases of locomotive system Other constitutional diseases. — — Unfluenza — — V. — Premature birth — VII. (Accident.) Fracture and contusion		1 —
Scarlet fever		_
Relapsing fever		-
Influenza V. Whooping-cough Premature birth 4 - (Accident.) Diphtheria Cyanosis Congenital defects Gunshot wound Enteric fever 2 Old age 4	_	
Whooping-cough — — Premature birth 4 — (Accident.) Diphtheria — — Congenital defects — — Gunshot wound Enteric fever — 2 Old age — 4 — (Accident.) Fracture and contusion Gunshot wound	_	
Diphtheria — — Cyanosis — — Fracture and contusion Gunshot wound Gunshot wound	-	
Simple and ill-defined fever		
Enteric rever — 2 Old age — 4 Cut. stab	-	
	_	
Rurn and seald	_	
Diarricea, dysentery Poison	_	_
Drowning	_	1
Suffocation	-	-
Otherwise	_	-
Tyæmia and septicæmia — — Other diseases of brain and (Homicide)		
Discours of arrang of arraid Murder and manslaughter		-
Suicide.)		
Discogn of simulatory system 3 Gunshot wound	-	-
Crown	_	
TT 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	1
Drawmania 9 Diowining	-	_
Diamine Hallen	_	_
Other discourse of respiratory	-	_
D' (MACCULIOII)	1	
milk 1 — Dentition — — Hanging	_	-
Alcoholism Quinsy, sore throat VIII.		
Enteritis 1 — Dropsy	_	_
IV. Peritonitis - Debility, atrophy, inanition	7	-
Rheumatic fever and rheu- Diseases of liver 1 — Mortification	_	
matism of heart — — Other diseases of digestive Tumor	_	_
Rheumatism 1 2 Abscess	-	-
Gout — Diseases of lymphatic system Hæmorrhage		
Cancer, malignant disease — 3 and of ductless glands — — Sudden, cause unascertained.		-
Tabes mesenterica — Diseases of urinary system — 2 Other ill-defined and not spe-		
Tubercular meningitis — 1 Diseases of generative system — 1 cified causes	-	-

APRIL, 1897.

The highest temperature in the shade at the Adelaide Observatory during the month was 90°.9 on the 4th; and the lowest, 44°.7, on the 29th. The mean temperature of the month was 64°.4.

The greatest range of the thermometer in one day, 36°.6, took place on the 9th, viz., from a maximum of 88°.0 to a minimum of 51°.4; the lowest range, 12°.4, on the 12th.

The mean height of the barometer was 29.994 inches; the maximum, 30.330 inches, occurred on the 21st; and the minimum, 29.357 inches, on the 11th. C. Todd, Observer.

Observatory, Adelaide, May 10th, 1897.